INDEX TO AUTHORS

A

Anderson, Ernest, and **Fireman, Milton.** The mucilage from psyllium seed, *Plantago psyllium*, L., 437

Andrews, James C., Johnston, Charles G., and **Andrews, Kathleen Crandall.** The absorption and metabolism of cystine and of certain cystine derivatives in dogs with isolated intestinal loops, iii

—. See JONES, ANDREWS, and ANDREWS, xlvii

Andrews, Kathleen Crandall. See ANDREWS, JOHNSTON, and ANDREWS, iii

—. See JONES, ANDREWS, and ANDREWS, xlvii

Armitage, Alfred. See MCCAY and MAYNARD, 29

Armstrong, W. D. Composition of whole sound teeth, enamel, and dentin, iv

Arnold, Aaron. See ELVEHJEM, SHERMAN, and ARNOLD, xxix

B

Bandemer, S. L. See SCHAIBLE, BANDEMER, and MOORE, lxxix

Barron, E. S. Guzman, and **Hastings, A. Baird.** The oxidation-reduction potentials of cyanide-hemochromogen, iv

Bauguess, Lyle C. Tryptophane metabolism of the diphtheria bacillus, v

Baumann, Emil J., Sprinson, David B., and **Metzger, Nannette.** A polyhydroxy acid from the sweet pepper, v

Baur, Lorenz, and **Link, Karl Paul.** The methylglycosides of the naturally occurring hexuronic acids. IV. Polygalacturonic acid-methylglycosides derived from Ehrlich's *"Pektolsäure"* and *"Pektolactonsäure,"* 293

Benjamin, Helen Rivkin. The forms of the calcium and inorganic phosphorus in human and animal sera. IV. A reply to Greenberg and Larson, 123

Berg, Clarence P. See CORRELL, BERG, and COWAN, xxiv

Bergmann, Max, and **Fox, Sidney W.** Complex salts of amino acids and peptides. I. Metal complex salts of glycine and their specificity, 317

—, **Zervas, Leonidas, Fruton, Joseph S., Schneider, F.,** and **Schleich, H.** On proteolytic enzymes. V. On the specificity of dipeptidase, 325

Bernheim, Frederick, and **Bernheim, Mary L. C.** The purification of the enzymes which oxidize certain amino acids, 131

XUM

Bernheim, Frederick, Bernheim, Mary L. C., and **Webster, M. Dorothy.** The oxidation of certain amino acids by "resting" *Bacillus proteus*, vi

Bernheim, Mary L. C. See BERNHEIM and BERNHEIM, 131

—. See BERNHEIM, BERNHEIM, and WEBSTER, vi

Bethell, Frank H. See KYER and BETHELL, p. l

Bills, Charles E., McDonald, Francis G., Massengale, O. N., Imboden, Miriam, Hall, Helen, Hergert, W. D., and **Wallenmeyer, J. C.** A taxonomic study of the distribution of vitamins A and D in one hundred species of fish, vii

Bing, Franklin C., Hanzal, Ramon F., and **Myers, Victor C.** Hypersideremia following the oral administration of iron, viii

Bischoff, Fritz, and **Elliot, A. H.** Purification of the depressor colloid of urine (callicrein), 419

Blanchard, Muriel H. See GREEN, COHN, and BLANCHARD, 631

Blatt, Hester. See BUTLER, BLATT, and SOUTHGATE, 755

Block, Richard J., and **Brand, Erwin.** On the origin of creatine. IV, viii

Block, Walter D. See CHRISTMAN and BLOCK, xx

Bloor, W. R., and **Snider, Ruth H.** Cholesterol in muscle, ix

Blunden, Harry. See BUTTS, CUTLER, HALLMAN, and DEUEL, 597

Bodansky, Aaron, and **Jaffe, Henry L.** Serum phosphatase, bilirubin, and cholesterol in experimental jaundice, x

Bodansky, Meyer. The effect of thyroid and thyroxine on the concentration of creatine in the heart, muscle, liver, and testes of the albino rat, 615

—. Observations on the origin of creatine, xi

Bott, Phyllis A., and **Wilson, D. Wright.** The concentrations of lactic acid in blood and liver of rabbits, 463

— and —. Lactic acid formation in liver, 455

Bowman, D. E., Visscher, J. P., and **Mull, James W.** Properties of hormones in the female urine, xi

Brand, Erwin, and **Cahill, George F.** Cystinuria. III. The metabolism of serine, 545

—, —, and **Harris, Meyer M.** Cystinuria. II. The metabolism of cystine, cysteine, methionine, and glutathione, 69

—. See BLOCK and BRAND, viii

Briggs, A. P. The relation of ammonia secretion to the acid-base balance of the urine in different types of nephritis, xii

Bruger, Maurice. See MATTICE, BRUGER, and DEREN, lx

Buell, Mary V. The relation of adenine nucleotide to hemoglobin, hematocrit, and red cell count in human blood, xii

Butler, Allan M., Blatt, Hester, and **Southgate, Harriet.** The solubility of the plasma pro-

teins. II. Dependence on pH, temperature, and lipid content in concentrated solutions of potassium phosphate and application to their separate precipitation, 755

Butts, Joseph S., Cutler, Charles H., Hallman, Lois, and **Deuel, Harry J., Jr.** Studies on ketosis. VI. Quantitative studies on β oxidation, 597

— and **Dunn, Max S.** The metabolism of glycine and alanine, xiii

C

Cahill, George F. See BRAND and CAHILL, 545

—. See BRAND, CAHILL, and HARRIS, 69

Cajori, F. A. The lactase activity of the intestinal mucosa of the dog and some characteristics of intestinal lactase, 159

— and **Karr, Walter G.** The absorption of glucose and galactose from the intestine of the dog, xiv

Calvery, Herbert O., and **Freyberg, Richard H.** Some analyses of samples of Bence-Jones protein, xv, 739

—, **Heidelberger, Michael,** and **Kendall, Forrest E.** Chemical analysis of Type II pneumococcus specific precipitate, xv

—, **Herriott, R. M.,** and **Northrop, J. H.** Some analyses of crystalline pepsin, xvi

— and **Schock, Ellen D.** Peptic hydrolysis of egg albumin, xvi

Cape, Jane. The rate of change of alkali reserve after ingestion of salts of organic compounds, xvii

Cardon, Rose. See HOFFMAN and CARDON, 717

Carter, Herbert E. See ROSE, MCCOY, MEYER, CARTER, WOMACK, and MERTZ, lxxvii

Cartland, George F., Meyer, Roland K., Miller, Lloyd C., and **Rutz, Marshall H.** A comparison of theelin prepared from stallion urine, human urine, and from theelol, with notes on the colorimetric estimation of theelin and theelol, 213

Cary, C. A. See WISEMAN and CARY, ci

Cavett, J. W., Rice, Carl O., and **McClendon, J. F.** The thyroxine and iodine content of normal and pathological thyroglobulin, xvii

Chaikoff, I. L., and **Larson, P. S.** The effect of insulin on the purine metabolism of the Dalmatian coach-dog, 85

—, —, and **Read, L. S.** The influence of epinephrine on the purine metabolism of ordinary and Dalmatian breeds of dogs, 395

Chanutin, Alfred, and **Ludewig, Stephan.** Renal function studies in partially nephrectomized rats, xviii

Chargaff, Erwin, and **Schaefer, Werner.** Chemical and immunological properties of the various fractions of the bacillus Calmette-Guérin (BCG), xix

XUM

Chen, A. Ling. See CHEN and CHEN, 681

Chen, K. K., and **Chen, A. Ling.** The alkaloids of han-fang-chi, 681

Christensen, E. Hohwü, and **Dill, D. B.** Oxygen dissociation curves of bird blood, 443

Christman, A. A., and **Block, Walter D.** A method for the detection and determination of carbon monoxide in air, xx

Church, Charles F. See WHIPPLE and CHURCH, xcviii

Clark, Harold E. See VICKERY, PUCHER, and CLARK, 39

Clausen, S. W., and **McCoord, A. B.** Conditions influencing the storage of vitamin A in the rat, xx

Clowes, G. H. A., and **Krahl, M. E.** Action of certain oxidative stimulants and depressants on respiration and cell division, xxi

Cohen, S. L. See MARRIAN, COHEN, and WATSON, lix

Cohn, Edwin J., McMeekin, Thomas L., and **Greenstein, Jesse P.** The solvent action of neutral salts upon peptides in solutions of low dielectric constant, xxi

—. See FERRY, COHN, and NEWMAN, xxxii

—. See GREEN, COHN, and BLANCHARD, 631

Cohn, Essie White, and **White, Abraham.** The enzymatic hydrolysis of raw and heat-treated egg white, 169

Cole, Versa V., and **Curtis, George M.** Iodine balance studies on the white rat, xxii

Cooley, Thomas B. See ERICKSON, COPE, STERNBERGER, LEE, COOLEY, and MACY, xxx

Cope, Frances. See ERICKSON, COPE, STERNBERGER, LEE, COOLEY, and MACY, xxx

Corley, Ralph C., Kramer, Alice W., and **Wolf, Paul A.** Factors influencing the creatine content of the muscles, xxiii

—, **Tripp, John T.,** and **Newton, Edith R.** The metabolism of bromine and of brominated fatty acids in the animal body, xxiii

Correll, John T., Berg, Clarence P., and **Cowan, Donald W.** The influence of *l*- and *dl*-tryptophane and kynurenic acid administration on bile volume and composition, xxiv

Cowan, Donald W. See CORRELL, BERG, and COWAN, xxiv

Csonka, Frank A. Amino acid content of staple foods, xxv

—. Proteins of yeast (*Saccharomyces cerevisiæ*), 703

Culbert, Robert W. The vapor pressure of human blood by Hill's thermoelectric method. Apparatus and technique, 547

Cullen, Glenn E. See ROBINSON, PRICE, and CULLEN, lxxiv

Curtis, George H. See WEST, LANE, and CURTIS, xcvii

Curtis, George M. See COLE and CURTIS, xxii

Cutler, Charles H. See BUTTS, CUTLER, HALLMAN, and DEUEL, 597

D

Dakin, H. D., and **West, Randolph.** Observations on the chemical nature of a hematopoietic substance occurring in liver, 489

Dalton, John B., and **Schmidt, Carl L. A.** The solubilities of certain amino acids and related compounds in water, the densities of their solutions at twenty-five degrees, and the calculated heats of solution and partial molal volumes. II, 241

Daly, Cornelius A., and **Dill, D. B.** Carbamino compounds and carbon dioxide transport, xxv

Dam, Henrik. See SCHOENHEIMER, SPERRY, and DAM, lxxix

Daoud, Lateefeh. See KERR and DAOUD, 301

Davis, George. See MCCAY and MAYNARD, 29

Day, Paul L. Blood sugar in rats in which cataract was produced by a vitamin G-deficient diet and by a lactose-containing diet, xxvi

Deren, M. See MATTICE, BRUGER, and DEREN, lx

Deuel, Harry J., Jr. See BUTTS, CUTLER, HALLMAN, and DEUEL, 597

Dill, D. B., Forbes, W. H., and **Henderson, L. J.** Errors in calculated pH in hemoglobin solutions with little available base, xxvii

Dill, D. B. See CHRISTENSEN and DILL, 443

—. See DALY and DILL, xxv

Doisy, Edward A. See MACCORQUODALE, THAYER, and DOISY, lviii

Downing, Virginia. See SHAW and DOWNING, 405

Drabkin, David L., Widerman, A. H., and **Landow, H.** The fate of hemoglobin injected into the blood stream, xxvii

Dunn, Max S. See BUTTS and DUNN, xiii

Dyer, Helen M., and **du Vigneaud, Vincent.** A study of the availability of *d*- and *l*-homocystine for growth purposes, 477

E

Edwards, Beatrice G. Studies of phenol estimation. I. Preliminary survey, xxviii

Eichelberger, Lillian. See HASTINGS and EICHELBERGER, xli

Elliot, A. H. See BISCHOFF and ELLIOT, 419

Elvehjem, C. A., Sherman, W. C., and **Arnold, Aaron.** The vitamin B (B_1) content of animal tissues, xxix

—. See STIRN, ELVEHJEM, and HART, 347

Erickson, Betty Nims, Cope, Frances, Sternberger, Helen R., Lee, Pearl, Cooley, Thomas B., and **Macy, Icie G.** Lipid and mineral distribution between the red blood cells and plasma in normal children and in anemias of childhood, xxx

XUM

Evans, E. A., Jr. See JENSEN, EVANS, PENNINGTON, and SCHOCK, xliv
Evans, Herbert M. See LEPKOVSKY, POPPER, and EVANS, liv
Everett, Mark R. See SHEPPARD and EVERETT, lxxxii
Exton, William G. See ROSE and EXTON, lxxvi

F

Farrar, G. E., Jr. The determination of iron in biological materials, xxxi
Fay, Marion, and **Wharton, P. S.** Galactose in the thoracic lymph of the dog, 695
Fell, Norbert H. Chemical and immunological properties of silk proteins, xxxi
Ferry, Ronald M., Cohn, Edwin J., and **Newman, Ethel S.** The solvent action of neutral salts upon albumins in solutions of low dielectric constant, xxxii
Fife, J. M., and **Frampton, V. L.** The effect of carbon dioxide upon the pH and certain nitrogen fractions of the sugar-beet plant, 643
Fireman, Milton. See ANDERSON and FIREMAN, 437
Firor, W. M. See GROLLMAN, FIROR, and GROLLMAN, 189
Fitz, Fred. The application to the colorimeter of the Schoenheimer and Sperry method for the determination of total and free cholesterol, 523
Fleming, Thomas A., and **Macallum, A. Bruce.** Studies on urochrome, xxxiii
Forbes, W. H. See DILL, FORBES, and HENDERSON, xxvii
Fox, Sidney W. See BERGMANN and FOX, 317
Frampton, V. L. See FIFE and FRAMPTON, 643
Frazier, Ernestine. See SWANSON, TIMSON, and FRAZIER, 729
Freyberg, Richard H. See CALVERY and FREYBERG, xv, 739
Friedemann, Theodore E., and **Klaas, Rosalind.** The reaction of aldehydes and sugars with acetoacetic acid, xxxiv
Fruton, Joseph S. See BERGMANN, ZERVAS, FRUTON, SCHNEIDER, and SCHLEICH, 325

G

Gaebler, Oliver Henry. Isolation experiments on serum creatinine, xxxv
Gallagher, T. F. See WILLIER, GALLAGHER, and KOCH, xcix
Gallup, Willis D., and **Reder, Ruth.** The reaction between gossypol and calcium and its physiological importance, xxxvi
Garner, R. L. The fibrinolytic enzyme of hemolytic streptococci, xxxvi
Gillum, Helen L. See OKEY and GILLUM, lxxii
Gisvold, Ole. See HALL and GISVOLD, 585

Glick, David. The chemical determination of minute quantities of vitamin C, 433

Goettsch, E., and **Kendall, Forrest E.** Analysis of albumin and globulin in biological fluids by the quantitative precipitin method, 221

Green, Arda Alden, Cohn, Edwin J., and **Blanchard, Muriel H.** Studies in the physical chemistry of the proteins. XII. The solubility of human hemoglobin in concentrated salt solutions, 631

— and **McKhann, Charles F.** Immune globulins in the placenta, xxxvii

Greenberg, David M. The influence of certain liver poisons on the action of parathyroid extract, xxxviii

— and **Larson, Clarence E.** Evidence of adsorption experiments on the forms of calcium and inorganic phosphorus in blood serum, 105

— and **Tufts, Elma V.** The effect of a diet low in magnesium on the rat, xxxviii

Greenstein, Jesse P. Studies of multivalent amino acids and peptides. I. The synthesis of certain tetravalent amino acids and their derivatives, 529

—. II. The synthesis of certain derivatives of lysylglutamic acid, 541

—. See Cohn, McMeekin, and Greenstein, xxi

Griffith, Wendell H. Errors in bioassay: some unusual effects of inorganic salts on the detoxication of benzoic acid in rats, xxxix

Grollman, Arthur, Firor, W. M., and **Grollman, Ellis.** Studies on the adrenal. VIII. A simple preparation of the adrenal cortical hormone suitable for oral administration, 189

Grollman, Ellis. See Grollman, Firor, and Grollman, 189

H

Hall, Helen. See Bills, McDonald, Massengale, Imboden, Hall, Hergert, and Wallenmeyer, vii

Hall, J. Alfred, and **Gisvold, Ole.** Chemistry of slash-pine (*Pinus caribæa*, Morelet). I. Fatty constituents of the phloem, 585

Hallman, Lois. See Butts, Cutler, Hallman, and Deuel, 597

Hamilton, Bengt, and **Schwartz, Ruth.** The composition of tissues in dehydration, 745

Hand, David B. The molecular weight and volume of hemoglobin in urea solutions, xl

Hanke, Martin E., and **Johnson, Martha.** An interpretation of the drift in potential in the quinhydrone pH method on blood or blood serum, xl

Hanzal, Ramon F. See Bing, Hanzal, and Myers, viii

Hardy, J. I. See Sullivan, Hess, Hardy, and Howe, xc

Harris, Meyer M. See Brand, Cahill, and Harris, 69

XUM

Harrison, Tinsley R. See Mason, Resnik, and Harrison, lix

Hart, E. B. See Phillips and Hart, 657

—. See Stirn, Elvehjem, and Hart, 347

Hastings, A. Baird, and **Eichelberger, Lillian.** Salt and water exchange between blood and muscle, xli

—. See Barron and Hastings, iv

Haven, Frances L. The degree of unsaturation of phospholipid fatty acids of tumor tissue, xlii

Heidelberger, Michael. See Calvery, Heidelberger, and Kendall, xv

Henderson, L. J. See Dill, Forbes, and Henderson, xxvii

Hergert, W. D. See Bills, McDonald, Massengale, Imboden, Hall, Hergert, and Wallenmeyer, vii

Herriott, R. M. See Calvery, Herriott, and Northrop, xvi

Hess, W. C. Variations in amino acid content of finger nails of normal and arthritic individuals, xliii

—. See Sullivan, Hess, Hardy, and Howe, xc

Hinck, Claus F., Jr. See Soyenkoff and Hinck, 467

Hinrichs, Marie A. See McLean and Hinrichs, lxiii

Hisey, Alan. See Morrison and Hisey, 233

Hodson, Adrian. See McCay and Maynard, 29

Hoffman, William S., and **Cardon, Rose.** The determination of inorganic sulfate in the serum of normal persons, 717

Hogan, Albert G., and **Richardson, Luther R.** The identity of the antidermatitis factor, xliii

Hogness, T. R. See Miller, Zscheile, Koch, Hogness, and Koch, lxv

Horning, E. See Rose and Exton, lxxvi

Howe, Paul E. See Sullivan, Hess, Hardy, and Howe, xc

Howell, Stacey F. See Sumner and Howell, 429

I

Imboden, Miriam. See Bills, McDonald, Massengale, Imboden, Hall, Hergert, and Wallenmeyer, vii

Irish, Oliver J. See du Vigneaud and Irish, xciv

J

Jacobs, Walter A. See Simpson and Jacobs, 573

Jaffe, Henry L. See Bodansky and Jaffe, x

Jellinek, E. Morton. See Looney and Jellinek, lvii

Jensen, H. Chemical studies on toad poisons: *Bufo arenarum Bufo regularis,* and *Xenopus lævis,* xliv

—, **Evans, E. A., Jr., Pennington, W. D.,** and **Schock, Ellen D.** Further chemical investigation of crystalline insulin, xliv

Johnson, Margaret Woodwell, and **Newburgh, L. H.** A comparison of the dissipation of heat measured by the insensible loss of water with the heat production determined by indirect calorimetry for periods of twenty-four hours, xlv

Johnson, Martha. See HANKE and JOHNSON, xl

Johnston, Charles G. See ANDREWS, JOHNSTON, and ANDREWS, iii

Jones, James H. Further observations on the possible interrelationship in the physiological action of the parathyroid glands and vitamin D, xlvi

—, **Andrews, Kathleen Crandall,** and **Andrews, James C.** The substitution of certain cystine derivatives for cystine in the growth of rats, xlvii

Jukes, Thomas H. Measurement of tryptic digestion by direct titration, xlvii

K

Kane, Edward A., and **Shinn, Leo A.** The decomposition of carotene during the storage of hays and meals, xlviii

Karr, Walter G. See CAJORI and KARR, xiv

Kassell, Beatrice. The determination of cystine and related disulfides with the Pulfrich photometer, xlix

Kaucher, Mildred. See WANG, KAUCHER, and WING, xcv

Kendall, Edward C., Mason, Harold L., McKenzie, Bernard F., and **Myers, Charles S.** The chemical nature of cortin, p. 1

Kendall, Forrest E. See CALVERY, HEIDELBERGER, and KENDALL, xv

—. See GOETTSCH and KENDALL, 221

Kerr, Stanley E., and **Daoud, Lateefeh.** A study of the organic acid-soluble phosphorus of the erythrocytes of various vertebrates, 301

Keys, Ancel, and **Taylor, Henry.** The behavior of the plasma colloids in recovery from brief severe work and the question as to the permeability of the capillaries to proteins, 55

— and —. The determination of the colloidal osmotic pressure in blood serum and similar fluids, 47

Klaas, Rosalind. See FRIEDEMANN and KLAAS, xxxiv

Klemme, Dorothea E. See POE and KLEMME, 43

Koch, Elizabeth M. See MILLER, ZSCHEILE, KOCH, HOGNESS, and KOCH, lxv

Koch, F. C. See MILLER, ZSCHEILE, KOCH, HOGNESS, and KOCH, lxv

—. See WILLIER, GALLAGHER, and KOCH, xcix

Komarov, S. A. Isolation of mucoitinsulfuric acid from canine gastric juice, 177

Krahl, M. E. See CLOWES and KRAHL, xxi

Kramer, Alice W. See CORLEY, KRAMER, and WOLF, xxiii

XUM

Kyer, Jean L., and **Bethell, Frank H.** The vitamin B complex and nutritional anemia in the white rat, p. 1

L

Lamb, Alvin R. The effect of malnutrition on the pathogenesis of rat leprosy, li

Landow, H. See DRABKIN, WIDERMAN, and LANDOW, xxvii

Lane, Ruth A. See WEST, LANE, and CURTIS, xcvii

Larson, Clarence E. See GREENBERG and LARSON, 105

Larson, Hardy W. Comparison of the xylose tolerance with blood urea in nephritic rats, lii

Larson, P. S. See CHAIKOFF and LARSON, 85

—. See CHAIKOFF, LARSON, and READ, 395

Laughton, Nelles B., and **Macallum, A. Bruce.** Note on the insular hormone, lii

Lavine, Theodore F. The iodometric determination of cysteine, 141

— and **Toennies, Gerrit.** A disulfoxide of *l*-cystine, liii

Lee, Pearl. See ERICKSON, COPE, STERNBERGER, LEE, COOLEY, and MACY, xxx

Lepkovsky, Samuel, Popper, William, Jr., and **Evans, Herbert M.** The preparation of crystalline vitamin G, liv

Levene, P. A., and **Tipson, R. Stuart.** The ring structure of thymidine, 623

Levin, Louis, and **Tyndale, H. H.** The concentration and purification of the gonadotropic substance of the urine of human female castrates, liv

Levy, Milton. Equilibria of the basic amino acids in the formol titration, 365

—. A note on the titration constants of imidazole derivatives, 361

Lewis, Howard B. Studies in cystinuria, lv

Link, Karl Paul. See BAUR and LINK, 293

Loeffel, Robert G. Absorption spectra of indigo sulfonates, lvi

Logan, Milan A. Calcium and ammonium excretion in the urine of rabbits, 481

Long, C. N. H., and **Lukens, F. D. W.** Observations on adrenalectomized-depancreatized and hypophysectomized-depancreatized cats, lvi

Looney, Joseph M., and **Jellinek, E. Morton.** Galactose tolerance as measured by the Folin micro and macro blood sugar methods, lvii

Ludewig, Stephan. See CHANUTIN and LUDEWIG, xviii

Lukens, F. D. W. See LONG and LUKENS, lvi

M

Macallum, A. Bruce. See FLEMING and MACALLUM, xxxiii

—. See LAUGHTON and MACALLUM, lii

MacCorquodale, D. W., Thayer, Sidney A., and **Doisy, Edward A.** The ovarian follicular hormone, lviii

Macy, Icie G. See ERICKSON, COPE, STERNBERGER, LEE, COOLEY, and MACY, xxx

Madsen, L. L. See MCCAY and MAYNARD, 29

Marrian, G. F., Cohen, S. L., and **Watson, M.** Observations on the excretion of estrin during pregnancy, lix

Mason, Harold L. See KENDALL, MASON, MCKENZIE, and MYERS, p. 1

Mason, M. F., Resnik, H., Jr., and **Harrison, Tinsley R.** Some effects of the introduction of electrolytes into the cisterna on the blood pressure of dogs, lix

Massengale, O. N. See BILLS, MCDONALD, MASSENGALE, IMBODEN, HALL, HERGERT, and WALLENMEYER, vii

Mattice, M. R., Bruger, Maurice, and **Deren, M.** Effect of dextrose ingestion on serum inorganic sulfate, lx

Maynard, L. A., and **McCay, C. M.** Studies of fat metabolism in lactation, lxi

—. See MCCAY and MAYNARD, 29

McCarthy, Mary. See ROSE and EXTON, lxxvi

McCay, C. M., and **Maynard, L. A.** The effect of ingested cod liver oil, shark liver oil, and salmon oil upon the composition of the blood and milk of lactating cows, 29

McCay, C. M. See MAYNARD and MCCAY, lxi

McClendon, J. F., and **Street, Harold.** Homozygous mice as biochemical test animals, lxi

—. See CAVETT, RICE, and MCCLENDON, xvii

McCoord, A. B. See CLAUSEN and MCCOORD, xx

McCoy, Richard H. See ROSE, MCCOY, MEYER, CARTER, WOMACK, and MERTZ, lxxvii

McCullagh, D. Roy, and **Stimmel, Benjamin F.** A biochemical method for the assay of the thyrotropic hormone of the pituitary gland, lxii

McDonald, Francis G. See BILLS, MCDONALD, MASSENGALE, IMBODEN, HALL, HERGERT, and WALLENMEYER, vii

McJunkin, F. A. See TWEEDY, TEMPLETON, and MCJUNKIN, xcii

McKenzie, Bernard F. See KENDALL, MASON, MCKENZIE, and MYERS, p. 1

McKhann, Charles F. See GREEN and MCKHANN, xxxvii

McLean, Franklin C., and **Hinrichs, Marie A.** The inverse relationship between calcium and phosphate in the blood, lxiii

McMeekin, Thomas L. The separation of a histamine-like substance from hydrolyzed proteins, lxiv

—. See COHN, MCMEEKIN, and GREENSTEIN, xxi

XUM

Medes, Grace. Is cystine sulfoxide an intermediate in the oxidative metabolism of cystine? lxiv

Mendel, Lafayette B. See Sherman, Mendel, and Smith, lxxxiii

Mertz, Edwin T. See Rose, McCoy, Meyer, Carter, Womack, and Mertz, lxxvii

Metzger, Nannette. See Baumann, Sprinson, and Metzger, v

Meyer, Curtis E. See Rose, McCoy, Meyer, Carter, Womack, and Mertz, lxxvii

Meyer, Karl, and **Palmer, John W.** On the sugar radicals of some "mucoids," lxv

—. See Palmer and Meyer, lxxiii

Meyer, Roland K. See Cartland, Meyer, Miller, and Rutz, 213

Miller, E. S., Zscheile, F. P., Koch, Elizabeth M., Hogness, T. R., and **Koch, F. C.** Spectroscopic evidence for different modifications of cholesterol resulting from simple chemical treatment, lxv

Miller, Lila. Peptic hydrolysis of lactalbumin, lxvi

Miller, Lloyd C. See Cartland, Meyer, Miller, and Rutz, 213

Milner, R. T. See Sando, Milner, and Sherman, 203

Moore, J. M. See Schaible, Bandemer, and Moore, lxxix

Morgareidge, Kenneth. Spectrophotometric studies on the Liebermann-Burchard reaction for sterols, lxvii

Morgulis, Sergius. Glycolysis and glutathione, lxviii

Morrison, Dempsie B., and **Hisey, Alan.** The carbon monoxide capacity, iron, and total nitrogen of dog hemoglobin, 233

Morse, Minerva, and **Schlutz, Frederic W.** Some effects of fatigue on the acid-base balance of the blood serum of the normal dog, lxix

Mull, James W. See Bowman, Visscher, and Mull, xi

Munro, Muriel Platt. See Woodward, Munro, and Schroeder, 11

Myers, Charles S. See Kendall, Mason, McKenzie, and Myers, p. l

Myers, Victor C. See Bing, Hanzal, and Myers, viii

N

Natelson, Samuel, and **Sobel, Albert E.** A new method for the separation of sterols from vitamin D-containing materials, 687

Newburgh, L. H. See Johnson and Newburgh, xlv

Newman, Ethel S. See Ferry, Cohn, and Newman, xxxii

Newton, Edith R. See Corley, Tripp, and Newton, xxiii

Nice, Margaret. Urea clearance during normal pregnancy, lxix

Nims, Leslie Frederick, and **Smith, Paul K.** The ioniza-

XUM

tion of lactic acid from zero to fifty degrees, lxx

Northrop, J. H. See CALVERY, HERRIOTT, and NORTHROP, xvi

O

Oberst, Fred W., and **Plass, E. D.** Water distribution in the blood of pregnant and non-pregnant women, lxxi

O'Brien, Helen. See STADIE and O'BRIEN, lxxxvii

Okey, Ruth, and **Gillum, Helen L.** The effect of undernutrition and of specific vitamin deficiency on the liver lipids of cholesterol-fed rats, lxxii

Olcott, H. S. The absorption spectrum and other properties of vitamin E, lxxii

P

Palmer, John W., and **Meyer, Karl.** Estimation of amino sugar, lxxiii

—. See MEYER and PALMER, lxv

Patterson, Wilbur I. See DU VIGNEAUD and PATTERSON, 97

Pennington, W. D. See JENSEN, EVANS, PENNINGTON, and SCHOCK, xliv

Pfiffner, J. J. See WINTERSTEINER and PFIFFNER, c

Phillips, Paul H., and **Hart, E. B.** The effect of organic dietary constituents upon chronic fluorine toxicosis in the rat, 657

Plass, E. D. See OBERST and PLASS, lxxi

Poe, Charles F., and **Klemme, Dorothea E.** A biochemical study of the fermentation of rare sugars by members of the colon and aerogenes groups of bacteria. II. Cellobiose, 43

Popper, William, Jr. See LEPKOVSKY, POPPER, and EVANS, liv

Price, J. Waide. See ROBINSON, PRICE, and CULLEN, lxxiv

Pucher, George W. See VICKERY, PUCHER, and CLARK, 39

Q

Quick, Armand J. The prothrombin in hemophilia and in obstructive jaundice, lxxiii

R

Read, L. S. See CHAIKOFF, LARSON, and READ, 395

Reder, Ruth. See GALLUP and REDER, xxxvi

Resnik, H., Jr. See MASON, RESNIK, and HARRISON, lix

Rice, Carl O. See CAVETT, RICE, and MCCLENDON, xvii

Richardson, Luther R. See HOGAN and RICHARDSON, xliii

Robinson, Howard W., Price, J. Waide, and **Cullen, Glenn E.** Studies on the acid-base condition of blood. V. The influence of protein concentration on the colorimetric pH determination of blood serum, lxxiv

Roe, Joseph H. A colorimetric method for the determination of ascorbic acid and a comparison of results obtained by this procedure and the dichlorophenol indophenol titration method, lxxv

XUM

Rose, Anton R., and **Exton, William G.** Determination of indican in urine, lxxvi

Rose, William C., McCoy, Richard H., Meyer, Curtis E., Carter, Herbert E., Womack, Madelyn, and **Mertz, Edwin T.** Isolation of the "unknown essential" present in proteins, lxxvii

Rosenblum, Louis A. The surface inactivation of catalase, 635

Rutz, Marshall H. See CARTLAND, MEYER, MILLER, and RUTZ, 213

S

Sahyun, Melville. Studies on growth factors; their effect on the growth of certain pathogens, and their effect on *Escherichia coli*, lxxviii

Sando, Charles E., Milner, R. T., and **Sherman, Mildred S.** Pigments of the Mendelian color types in maize. Chrysanthemin from purple-husked maize, 203

Schaefer, Werner. See CHARGAFF and SCHAEFER, xix

Schaible, Philip J., Bandemer, S. L., and **Moore, J. M.** Mineral partition during intestinal digestion, lxxix

Schattner, Fred. See ROSE and EXTON, lxxvi

Schleich, H. See BERGMANN, ZERVAS, FRUTON, SCHNEIDER, and SCHLEICH, 325

Schlutz, Frederic W. See MORSE and SCHLUTZ, lxix

Schmidt, Carl L. A. See DALTON and SCHMIDT, 241

Schmidt, L. H. The nature of the difference in phospholipid content of oxalated and heparinized plasma, 449

Schneider, Burch H. The subdivision of the metabolic nitrogen in the feces of the rat, swine, and man, 249

Schneider, F. See BERGMANN, ZERVAS, FRUTON, SCHNEIDER, and SCHLEICH, 325

Schock, Ellen D. See CALVERY and SCHOCK, xvi

—. See JENSEN, EVANS, PENNINGTON, and SCHOCK, xliv

Schoenheimer, Rudolf, Sperry, Warren M., and **Dam, Henrik.** Specificity of sterol absorption, lxxix

—. See SPERRY and SCHOENHEIMER, lxxxvi

Schroeder, E. F. See WOODWARD, MUNRO, and SCHROEDER, 11

Schwartz, Ruth. See HAMILTON and SCHWARTZ, 745

Seegers, Walter H. The availability of tissue nutrients after alcohol extraction and after heating, lxxx

Sendroy, Julius, Jr. The gasometric determination of chloride in serum and urine, lxxxi

Shack, Joseph. The effect of oxygenation and reduction on the equilibrium of hemocyanin with acids and bases, 383

Shaw, John L., and **Downing, Virginia.** The determination of oxygen in blood in the pres-

ence of ether by a modification of the Van Slyke-Neill technique, 405

Shear, M. J. Titration of mouse tumors, lxxxi

Sheppard, Fay, and **Everett, Mark R.** Effects of nitrogenous substances upon sugar determination, lxxxii

Sherman, Caroline C., Mendel, Lafayette B., and **Smith, Arthur H.** Determination and metabolism of citric acid, lxxxiii

Sherman, Mildred S. See SANDO, MILNER, and SHERMAN, 203

Sherman, W. C. See ELVEHJEM, SHERMAN, and ARNOLD, xxix

Shinn, Leo A. See KANE and SHINN, xlviii

Shinohara, Kamenosuke. The determination of thiol and disulfide compounds, with special reference to cysteine and cystine. I. Critical study of the color reaction between phospho-18-tungstic acid reagent and thiol compounds, 665

—. A precision method for the determination of cysteine applicable to the standardization of cysteine hydrochloride, lxxxiv

Shohl, Alfred T. Rickets and tetany due to low calcium diets, lxxxv

Simpson, James C. E., and **Jacobs, Walter A.** Sarsasapogenin. II, 573

Sinclair, Robert Gordon. The passage of fed elaidic acid into tissue phospholipids, lxxxv

Smith, Arthur H. See SHERMAN, MENDEL, and SMITH, lxxxiii

Smith, Paul K. See NIMS and SMITH, lxx

Snider, Ruth H. See BLOOR and SNIDER, ix

Sobel, Albert E. See NATELSON and SOBEL, 687

Southgate, Harriet. See BUTLER, BLATT, and SOUTHGATE, 755

Soyenkoff, Basil C., and **Hinck, Claus F., Jr.** The measurement of pH and acid-neutralizing power of saliva, 467

Sperry, Warren M., and **Schoenheimer, Rudolf.** Cholesterol esterase in blood, lxxxvi

—. See SCHOENHEIMER, SPERRY, and DAM, lxxix

Sprinson, David B. See BAUMANN, SPRINSON, and METZGER, v

Stadie, William C., and **O'Brien, Helen.** The carbamate-carbon dioxide equilibrium of amino acids, hemoglobin, and serum proteins and its significance in the carbon dioxide transport of the blood, lxxxvii

Stare, F. J. The preparation and some properties of liver flavin, lxxxviii

Stekol, Jakob A. Metabolism of *l*- and *dl*-methionine in adult and growing dogs maintained on diets of various protein contents, 147

Sternberger, Helen R. See ERICKSON, COPE, STERNBERGER, LEE, COOLEY, and MACY, xxx

XUM

Stimmel, Benjamin F. See McCullagh and Stimmel, lxii

Stirn, F. E., Elvehjem, C. A., and **Hart, E. B.** The indispensability of zinc in the nutrition of the rat, 347

Street, Harold. See McClendon and Street, lxi

Sullivan, M. X. Further studies on muscular dystrophies, with reference to intoxication by guanidine and simple guanidine derivatives, lxxxix

—, **Hess, W. C., Hardy, J. I.,** and **Howe, Paul E.** Comparative study of the wool of lambs on adequate and inadequate rations, xc

Sumner, James B., and **Howell, Stacey F.** A qualitative test for enzymes of the trypsin and papain types, 429

Sunderman, F. William. The measurement of serum volume, xci

Swanson, Pearl P., Timson, Gladys H., and **Frazier, Ernestine.** Some observations on the physiological adjustment of the albino rat to a diet poor in salts when edestin is the source of dietary protein, 729

T

Talbott, John H. Blood sugar and respiratory exchange during high carbohydrate ingestion, xci

Taylor, Henry. See Keys and Taylor, 47, 55

Templeton, R. D. See Tweedy, Templeton, and McJunkin, xcii

Thayer, Sidney A. See MacCorquodale, Thayer, and Doisy, lviii

Thimann, Kenneth V. On the plant growth hormone produced by *Rhizopus suinus*, 279

Thompson, William R. A note on the preparation of starch substrates for amylase determinations, 201

Timson, Gladys H. See Swanson, Timson, and Frazier, 729

Tipson, R. Stuart. See Levene and Tipson, 623

Toennies, Gerrit. See Lavine and Toennies, liii

Tripp, John T. See Corley, Tripp, and Newton, xxiii

Tufts, Elma V. See Greenberg and Tufts, xxxviii

Tweedy, Wilbur R., Templeton, R. D., and **McJunkin, F. A.** The effect of complete and partial renal insufficiency on the action of parathyroid hormone in the dog, xcii

Tyndale, H. H. See Levin and Tyndale, liv

U

Urban, Frank. Spectrographic study of the cytochromes in yeast cells respiring at different temperatures, xciii

V

Vickery, Hubert Bradford, Pucher, George W., and **Clark, Harold E.** The preparation of glutamine, 39

du Vigneaud, Vincent, and **Irish, Oliver J.** The rôle of the acetyl derivative as an intermediary stage in the biological synthesis of amino acids from keto acids, xciv

— and **Patterson, Wilbur I.** The preparation of the optically active isomers of homocystine and the demonstration of their configurational relationship to naturally occurring methionine, 97

—. See DYER and DU VIGNEAUD, 477

Visscher, J. P. See BOWMAN, VISSCHER, and MULL, xi

W

Wallenmeyer, J. C. See BILLS, MCDONALD, MASSENGALE, IMBODEN, HALL, HERGERT, and WALLENMEYER, vii

Wang, Chi Che, Kaucher, Mildred, and **Wing, Mary.** Mineral metabolism of twenty-three adolescent girls, five nephrotic children, and two boys with progressive pseudohypertrophic muscular dystrophy, xcv

Watson, M. See MARRIAN, COHEN, and WATSON, lix

Watts, Ruth M. The effect of administration of preparations of growth hormone of the anterior lobe of the pituitary upon gestation and the weight of the new-born (albino rats), xcv

Weber, C. J. The presence of glycocyamine in urine, xcvi

Webster, M. Dorothy. See BERNHEIM, BERNHEIM, and WEBSTER, vi

West, Edward S., Lane, Ruth A., and **Curtis, George H.** Precipitating agents for use in the estimation of sugars in biological materials, xcvii

West, Randolph. See DAKIN and WEST, 489

Wharton, P. S. See FAY and WHARTON, 695

Whipple, Dorothy V., and **Church, Charles F.** Relation of vitamin B (B_1) to fat metabolism. I. The rôle of fat in the refection phenomenon, xcviii

White, Abraham. See COHN and WHITE, 169

Widerman, A. H. See DRABKIN, WIDERMAN, and LANDOW, xxvii

Wilkerson, Vernon A. The chemistry of human epidermis. II. The isoelectric point of the stratum corneum and other human keratins as determined by electrophoresis, xcix

Willier, B. H., Gallagher, T. F., and **Koch, F. C.** The action of male and female hormones upon the reproductive glands and ducts of the chick embryo, xcix

Wilson, D. Wright. See BOTT and WILSON, 455, 463

—. See WOLFF and WILSON, 565

Wing, Mary. See WANG, KAUCHER, and WING, xcv

Wintersteiner, Oskar, and **Pfiffner, J. J.** Chemical investigations on the cortical hormone of the adrenal gland, c

XUM

Wiseman, H. G., and **Cary, C. A.** The spectrophotometric determination of carotene in butter fat, ci

Wolf, Paul A. See CORLEY, KRAMER, and WOLF, xxiii

Wolff, William A., and **Wilson, D. Wright.** Carnosine and anserine in mammalian skeletal muscle, 565

Womack, Madelyn. See ROSE, MCCOY, MEYER, CARTER, WOMACK, and MERTZ, lxxvii

Woodward, Gladys E. Glyoxalase. III. Glyoxalase as a reagent for the quantitative microestimation of glutathione, 1

Woodward, Gladys E., Munro, Muriel Platt, and **Schroeder, E. F.** Glyoxalase. IV. The antiglyoxalase action of kidney and pancreas preparations, 11

Z

Zervas, Leonidas. See BERGMANN, ZERVAS, FRUTON, SCHNEIDER, and SCHLEICH, 325

Zscheile, F. P. See MILLER, ZSCHEILE, KOCH, HOGNESS, and KOCH, lxv

INDEX TO SUBJECTS

A

Acetoacetic acid: Aldehydes and sugars, reaction (FRIEDEMANN and KLAAS) xxxiv

Acid: -Neutralizing power, saliva (SOYENKOFF and HINCK) 467

Acid-base: Blood (ROBINSON, PRICE, and CULLEN) lxxiv

Acid-base equilibrium: Blood serum, fatigue effect (MORSE and SCHLUTZ) lxix

Urine, ammonia secretion, nephritis, relation (BRIGGS) xii

Adenine: Nucleotide, hemoglobin, hematocrit, and red blood cell count, relation (BUELL) xii

Adrenalectomy: -Pancreatectomy, effect (LONG and LUKENS) lvi

Adrenals: Cortex hormone, chemistry (WINTERSTEINER and PFIFFNER) c

— —, preparation for oral administration (GROLLMAN, FIROR, and GROLLMAN) 189

Aerogenes: Bacteria, sugars, rare, fermentation (POE and KLEMME) 43

Colon bacteria and, cellobiose fermentation (POE and KLEMME) 43

Alanine: Metabolism (BUTTS and DUNN) xiii

Albumin: Biological fluids, determination, precipitin method (GOETTSCH and KENDALL) 221

Egg, peptic hydrolysis (CALVERY and SCHOCK) xvi

Solutions, neutral salts, action (FERRY, COHN, and NEWMAN) xxxii

Alcohol: Tissue nutrients, extraction effect (SEEGERS) lxxx

Aldehydes: Acetoacetic acid, reaction (FRIEDEMANN and KLAAS) xxxiv

Alkaline reserve: Organic salts, effect (CAPE) xvii

Alkaloids: Han-fang-chi (CHEN and CHEN) 681

Amino acid(s): Basic, equilibria, formol titration (LEVY) 365

Carbamate-carbon dioxide equilibrium, blood carbon dioxide transport, relation (STADIE and O'BRIEN) lxxxvii

Foods (CSONKA) xxv

Keto acids, synthesis from, acetyl derivative, rôle (DU VIGNEAUD and IRISH) xciv

Multivalent (GREENSTEIN) 529, 541

Nail, finger, normal and arthritic (HESS) xliii

XUM

Amino acid(s)—*continued:*
Oxidation, *Bacillus proteus* (Bernheim, Bernheim, and Webster) vi
—, enzyme purification for (Bernheim and Bernheim) 131
Physical properties and constants (Dalton and Schmidt) 241
-Related compounds, physical properties and constants (Dalton and Schmidt) 241
Salts, complex (Bergmann and Fox) 317
Tetravalent, and derivatives, synthesis (Greenstein) 529
Amino sugar: Determination (Palmer and Meyer) lxxiii
Ammonia: Secretion, urine acid-base balance, nephritis, relation (Briggs) xii
Ammonium: Urine, excretion (Logan) 481
Amylase: Determination, starch substrate preparation (Thompson) 201
Anemia: Blood cell, red, and plasma, lipids and minerals, distribution (Erickson, Cope, Sternberger, Lee, Cooley, and Macy) xxx
Nutritional, vitamin B complex, relation (Kyer and Bethell) p. 1
Anserine: Muscle, skeletal (Wolff and Wilson) 565
Antiglyoxalase: Kidney (Woodward, Munro, and Schroeder) 11
Antiglyoxalase—*continued:*
Pancreas (Woodward, Munro, and Schroeder) 11
Apparatus: Blood vapor pressure determination (Culbert) 547
Arthritis: Nail, finger, amino acids (Hess) xliii
Ascorbic acid: Determination, colorimetric, dichlorophenol indophenol titration method, comparison (Roe) lxxv

B

Bacillus: *See also* Diphtheria bacillus, *Escherichia coli*
Bacillus Calmette-Guérin: Fractions, properties (Chargaff and Schaefer) xix
Bacillus proteus: Amino acid oxidation (Bernheim, Bernheim, and Webster) vi
Bacteria: Colon and aerogenes, cellobiose fermentation (Poe and Klemme) 43
Beet: Sugar. *See* Sugar-beet
Bence-Jones: Protein (Calvery and Freyberg) 739, xv
Benzoic acid: Detoxication, inorganic salts, effect (Griffith) xxxix
Bile: Kynurenic acid effect (Correll, Berg, and Cowan) xxiv
dl-Tryptophane effect (Correll, Berg, and Cowan) xxiv
l-Tryptophane effect (Correll, Berg, and Cowan) xxiv
Bilirubin: Blood serum, jaundice (Bodansky and Jaffe) x

Bird: Blood, oxygen dissociation curves (CHRISTENSEN and DILL) 443
Blood: Acid-base (ROBINSON, PRICE, and CULLEN) lxxiv
Lactation, cod liver oil, shark liver oil, and salmon oil, effect (MCCAY and MAYNARD) 29
Muscle and, salt and water exchange (HASTINGS and EICHELBERGER) xli
Vapor pressure determination (CULBERT) 547
See also Hematopoietic substance
Blood cell: Red, count, blood adenine nucleotide relation (BUELL) xii
Blood plasma: Colloids, recovery from work, relation (KEYS and TAYLOR) 55
Blood pressure: Electrolyte, cisterna magna injection, effect (MASON, RESNIK, and HARRISON) lix
Blood serum: Acid-base balance, fatigue effect (MORSE and SCHLUTZ) lxix
Colloid osmotic pressure determination (KEYS and TAYLOR) 47
Volume, determination (SUNDERMAN) xci
Blood sugar: Carbohydrate ingestion, high (TALBOTT) xci
Cataract from lactose-containing diet, relation (DAY) xxvi
— — vitamin G-deficient diet, relation (DAY) xxvi
Boys: Muscle dystrophy, pseudohypertrophic, mineral metabolism (WANG, KAUCHER, and WING) xcv
Bromine: Metabolism (CORLEY, TRIPP, and NEWTON) xxiii
Bufo arenarum: *See* Toad
Bufo regularis: *See* Toad
Butter fat: Carotene determination, spectrophotometric (WISEMAN and CARY) ci

C

Calcium: Blood phosphate and, relation (MCLEAN and HINRICHS) lxiii
— serum, forms (GREENBERG and LARSON) 105
(BENJAMIN) 123
Gossypol and, reaction, physiological significance (GALLUP and REDER) xxxvi
-Low diet, rickets production (SHOHL) lxxxv
— —, tetany production (SHOHL) lxxxv
Urine, excretion (LOGAN) 481
Callicrein: Purification (BISCHOFF and ELLIOT) 419
Capillaries: Permeability, proteins (KEYS and TAYLOR) 55
Carbamate: -Carbon dioxide equilibrium, amino acids, hemoglobin, and blood serum proteins, blood carbon dioxide transport, relation (STADIE and O'BRIEN) lxxxvii
Carbamino compounds: Carbon dioxide transport, relation (DALY and DILL) xxv

XUM

Carbohydrate: Ingestion, high, blood sugar and respiratory exchange, effect (TALBOTT) xci

Carbon dioxide: Blood, transport, carbamate-carbon dioxide equilibrium of amino acids, hemoglobin, and blood serum proteins, relation (STADIE and O'BRIEN) lxxxvii

Carbamate-, equilibrium, amino acids, hemoglobin, and blood serum proteins, blood carbon dioxide transport, relation (STADIE and O'BRIEN) lxxxvii

Sugar-beet hydrogen ion concentration and nitrogen fractions, effect (FIFE and FRAMPTON) 643

Transport, carbamino compounds, relation (DALY and DILL) xxv

Carbon monoxide: Air, determination (CHRISTMAN and BLOCK) xx

Capacity, hemoglobin (MORRISON and HISEY) 233

Carnosine: Muscle, skeletal (WOLFF and WILSON) 565

Carotene: Butter fat, determination, spectrophotometric (WISEMAN and CARY) ci

Hay and meal, storage effect (KANE and SHINN) xlviii

Catalase: Inactivation (ROSENBLUM) 635

Cataract: Production, lactose-containing diet, blood sugar, relation (DAY) xxvi

—, vitamin G-deficient diet, blood sugar, relation (DAY) xxvi

Cell: Division, stimulants and depressants, oxidative, action (CLOWES and KRAHL) xxi

Cellobiose: Fermentation, colon and aerogenes bacteria (POE and KLEMME) 43

Children: Anemias, blood cell and plasma, lipid and mineral distribution (ERICKSON, COPE, STERNBERGER, LEE, COOLEY, and MACY) xxx

Nephrotic, mineral metabolism (WANG, KAUCHER, and WING) xcv

Chloride: Blood serum, determination, gasometric (SENDROY) lxxxi

Urine, determination, gasometric (SENDROY) lxxxi

Cholesterol: Blood serum, jaundice (BODANSKY and JAFFE) x

Chemical treatment, effect (MILLER, ZSCHEILE, KOCH, HOGNESS, and KOCH) lxv

Esterase, blood (SPERRY and SCHOENHEIMER) lxxxvi

-Fed rats, liver lipids, undernutrition and vitamin deficiency, effect (OKEY and GILLUM) lxxii

Muscle (BLOOR and SNIDER) ix

Total and free, determination, colorimetric (FITZ) 523

Chrysanthemin: Maize, purple-husked (SANDO, MILNER, and SHERMAN) 203

Citric acid: Determination (SHERMAN, MENDEL, and SMITH) lxxxiii

Metabolism (SHERMAN, MENDEL, and SMITH) lxxxiii

Cod liver oil: Blood, lactation, effect (McCay and Maynard) 29
Milk, effect (McCay and Maynard) 29
Colloid(s): Blood plasma, recovery from work, relation (Keys and Taylor) 55
Depressor, urine, purification (Bischoff and Elliot) 419
Osmotic pressure, blood serum, determination (Keys and Taylor) 47
Colon: Bacteria and aerogenes, cellobiose fermentation (Poe and Klemme) 43
—, sugars, rare, fermentation (Poe and Klemme) 43
Cortin: Chemical nature (Kendall, Mason, McKenzie, and Myers) p. 1
Creatine: Heart, thyroid and thyroxine effect (Bodansky) 615
Liver, thyroid and thyroxine effect (Bodansky) 615
Muscle (Corley, Kramer, and Wolf) xxiii
—, thyroid and thyroxine effect (Bodansky) 615
Origin (Block and Brand) viii
(Bodansky) xi
Testes, thyroid and thyroxine effect (Bodansky) 615
Creatinine: Blood serum, isolation (Gaebler) xxxv
Cyanide: -Hemochromogen, oxidation-reduction potentials (Barron and Hastings) iv
Cysteine: Determination (Shinohara) 665, lxxxiv
Cysteine—*continued:*
Determination, iodometric (Lavine) 141
Metabolism, cystinuria (Brand, Cahill, and Harris) 69
Cysteine hydrochloride: Standardization (Shinohara) lxxxiv
Cystine: Absorption and metabolism, intestinal loop (Andrews, Johnston, and Andrews) iii
Derivatives, absorption and metabolism, intestinal loop (Andrews, Johnston, and Andrews) iii
—, growth effect (Jones, Andrews, and Andrews) xlvii
Determination (Shinohara) 665
—, Pulfrich photometer (Kassell) xlix
Homo-, isomers, optically active, methionine, naturally occurring, configurational relationship (du Vigneaud and Patterson) 97
—, —, — —, preparation (du Vigneaud and Patterson) 97
d-Homo-, growth effect (Dyer and du Vigneaud) 477
l-Homo-, growth effect (Dyer and du Vigneaud) 477
Metabolism, cystine sulfoxide relation (Medes) lxiv
—, cystinuria (Brand, Cahill, and Harris) 69
-Related disulfides, determination, Pulfrich photometer (Kassell) xlix
Cystine disulfoxide: *l*- (Lavine and Toennies) liii

Cystine sulfoxide: Cystine metabolism, relation (MEDES) lxiv
Cystinuria: (LEWIS) lv
Cysteine metabolism (BRAND, CAHILL, and HARRIS) 69
Cystine metabolism (BRAND, CAHILL, and HARRIS) 69
Glutathione metabolism (BRAND, CAHILL, and HARRIS) 69
Methionine metabolism (BRAND, CAHILL, and HARRIS) 69
Serine metabolism (BRAND and CAHILL) 545
Cytochrome: Yeast, spectrograph, temperature effect (URBAN) xciii

D

Dalmatian coach-dog: Purine metabolism, epinephrine influence (CHAIKOFF, LARSON, and READ) 395
— —, insulin effect (CHAIKOFF and LARSON) 85
Dehydration: Tissues, effect (HAMILTON and SCHWARTZ) 745
Dentin: Composition (ARMSTRONG) iv
Dermatitis: Anti-, factor, identity (HOGAN and RICHARDSON) xliii
Dextrose: Blood serum inorganic sulfate, ingestion effect (MATTICE, BRUGER, and DEREN) lx
Diet: Essential element, proteins, isolation (ROSE, MCCOY, MEYER, CARTER, WOMACK, and MERTZ) lxxvii
Diet—*continued:*
Organic constituents, fluorine toxicosis, effect (PHILLIPS and HART) 657
See also Food, Ration
Dipeptidase: Specificity (BERGMANN, ZERVAS, FRUTON, SCHNEIDER, and SCHLEICH) 325
Diphtheria bacillus: Tryptophane metabolism (BAUGUESS) v
Disulfide compounds: Determination (SHINOHARA) 665
Disulfides: Cystine-related, determination, Pulfrich photometer (KASSELL) xlix

E

Edestin: Dietary protein source, salt-poor diet, effect (SWANSON, TIMSON, and FRAZIER) 729
Egg: Albumin, peptic hydrolysis (CALVERY and SCHOCK) xvi
White, hydrolysis, enzymatic (COHN and WHITE) 169
Elaidic acid: Tissue phospholipids, relation (SINCLAIR) lxxxv
Electrolytes: Blood pressure, cisterna magna injection, effect (MASON, RESNIK, and HARRISON) lix
Embryo: Chicken, reproductive system, sex hormones, effect (WILLIER, GALLAGHER, and KOCH) xcix
Enamel: Composition (ARMSTRONG) iv
Enzyme(s): Egg white, raw and heat-treated, hydrolysis (COHN and WHITE) 169

Enzyme(s)—*continued:*
Fibrinolytic, hemolytic streptococcus (GARNER) xxxvi
Proteolytic (BERGMANN, ZERVAS, FRUTON, SCHNEIDER, and SCHLEICH) 325
Purification, amino acid oxidation (BERNHEIM and BERNHEIM) 131
See also Amylase, Antiglyoxalase, Catalase, Dipeptidase, Esterase, Glyoxalase, Lactase, Papain, Pepsin, Phosphatase, Trypsin
Epidermis: Human, chemistry (WILKERSON) xcix
Stratum corneum keratins, isoelectric point (WILKERSON) xcix
Epinephrine: Purine metabolism, influence, Dalmatian coach-dog (CHAIKOFF, LARSON, and READ) 395
Escherichia coli: Growth factors, effect (SAHYUN) lxxviii
Esterase: Cholesterol, blood (SPERRY and SCHOENHEIMER) lxxxvi
Estrin: Pregnancy, excretion (MARRIAN, COHEN, and WATSON) lix
Ether: Blood oxygen determination, Van Slyke-Neill modified method, presence (SHAW and DOWNING) 405
Exercise: *See also* Work

F

Fat: Metabolism, lactation (MAYNARD and MCCAY) lxi
—, vitamin B_1, relation (WHIPPLE and CHURCH) xcviii
Fat—*continued:*
Refection, rôle (WHIPPLE and CHURCH) xcviii
Fatigue: Blood serum acid-base balance, effect (MORSE and SCHLUTZ) lxix
Fatty acids: Brominated, metabolism (CORLEY, TRIPP, and NEWTON) xxiii
Phospholipid, tumor, unsaturation degree (HAVEN) xlii
Fatty constituents: Slash-pine phloem (HALL and GISVOLD) 585
Feces: Nitrogen (SCHNEIDER) 249
Fish: Vitamin A (BILLS, MCDONALD, MASSENGALE, IMBODEN, HALL, HERGERT, and WALLENMEYER) vii
— D (BILLS, MCDONALD, MASSENGALE, IMBODEN, HALL, HERGERT, and WALLENMEYER) vii
Flavin: Liver, preparation and properties (STARE) lxxxviii
Fluorine: Toxicosis, dietary organic constituents, effect (PHILLIPS and HART) 657
Foods: Amino acids (CSONKA) xxv
Formol: Titration, basic amino acids, equilibria (LEVY) 365

G

Galactose: Absorption, intestine (CAJORI and KARR) xiv
Lymph, thoracic (FAY and WHARTON) 695
Tolerance, determination, Folin sugar methods (LOONEY and JELLINEK) lvii

Galacturonic acid: Poly-, -methylglycosides, Ehrlich's *Pektolsäure* and *Pektolactonsäure* (BAUR and LINK) 293
Gastric juice: Mucoitinsulfuric acid isolation (KOMAROV) 177
Gestation: Pituitary, anterior, extract, growth hormone, effect (WATTS) xcv
Girls: Adolescent, mineral metabolism (WANG, KAUCHER, and WING) xcv
Globulin(s): Biological fluids, determination, precipitin method (GOETTSCH and KENDALL) 221
Placenta, immune (GREEN and MCKHANN) xxxvii
Glucose: Absorption, intestine (CAJORI and KARR) xiv
Glutamic acid: Lysyl-, derivatives, synthesis (GREENSTEIN) 541
Glutamine: Preparation (VICKERY, PUCHER, and CLARK) 39
Glutathione: Glycolysis, effect (MORGULIS) lxviii
Metabolism, cystinuria (BRAND, CAHILL, and HARRIS) 69
Microdetermination, glyoxalase in (WOODWARD) 1
Glycine: Metabolism (BUTTS and DUNN) xiii
Metal complex salts, specificity (BERGMANN and FOX) 317
Glycocyamine: Urine (WEBER) xcvi
Glycolysis: Glutathione effect (MORGULIS) lxviii
Glycosides: Methyl-, hexuronic acids, naturally occurring (BAUR and LINK) 293
—, polygalacturonic acid-, Ehrlich's *Pektolsäure* and *Pektolactonsäure* (BAUR and LINK) 293
Glyoxalase: Anti-, kidney and pancreas (WOODWARD, MUNRO, and SCHROEDER) 11
Glutathione microdetermination, reagent (WOODWARD) 1
Gonadotropic substance: Urine, castrates, female (LEVIN and TYNDALE) liv
Gossypol: Calcium and, reaction, physiological significance (GALLUP and REDER) xxxvi
Growth: Cystine derivatives, effect (JONES, ANDREWS, and ANDREWS) xlvii
Factors, *Escherichia coli*, effect (SAHYUN) lxxviii
—, pathogens, effect (SAHYUN) lxxviii
d-Homocystine, effect (DYER and DU VIGNEAUD) 477
l-Homocystine, effect (DYER and DU VIGNEAUD) 477
Hormone, pituitary, anterior, extract, gestation and weight of new-born, effect (WATTS) xcv
—, plant, *Rhizopus suinus* (THIMANN) 279
dl-Methionine metabolism, dietary protein, effect (STEKOL) 147
l-Methionine metabolism, dietary protein, effect (STEKOL) 147

Guanidine: Derivatives, muscle dystrophies, relation (SULLIVAN) lxxxix
Muscle dystrophies, relation (SULLIVAN) lxxxix

H

Han-fang-chi: Alkaloids (CHEN and CHEN) 681
Hay: Carotene, storage effect (KANE and SHINN) xlviii
Heart: Creatine, thyroid and thyroxine effect (BODANSKY) 615
Heat: Dissipation, heat production, comparison (JOHNSON and NEWBURGH) xlv
Tissue nutrients, effect (SEEGERS) lxxx
Hematocrit: Blood adenine nucleotide relation (BUELL) xii
Hematopoietic substance: Liver, chemistry (DAKIN and WEST) 489
Hemochromogen: Cyanide-, oxidation-reduction potentials (BARRON and HASTINGS) iv
Hemocyanin: Equilibrium, acids and bases, oxygenation and reduction, effect (SHACK) 383
Hemoglobin: Blood adenine nucleotide relation (BUELL) xii
Carbamate-carbon dioxide equilibrium, blood carbon dioxide transport, relation (STADIE and O'BRIEN) lxxxvii
Carbon monoxide capacity (MORRISON and HISEY) 233
Hemoglobin—*continued:*
Fate, intravenous injection (DRABKIN, WIDERMAN, and LANDOW) xxvii
Iron (MORRISON and HISEY) 233
Nitrogen, total (MORRISON and HISEY) 233
Salt solutions, solubility (GREEN, COHN, and BLANCHARD) 631
Solutions, hydrogen ion concentration determination, errors (DILL, FORBES, and HENDERSON) xxvii
Urea solutions, molecular weight and volume (HAND) xl
Hemophilia: Prothrombin (QUICK) lxxiii
Hexuronic acids: Naturally occurring, methylglycosides (BAUR and LINK) 293
Histamine: -Like substance, hydrolyzed proteins (McMEEKIN) lxiv
Homocystine: *d*-, growth effect (DYER and DU VIGNEAUD) 477
l-, growth effect (DYER and DU VIGNEAUD) 477
Isomers, optically active, methionine, naturally occurring, configurational relationship (DU VIGNEAUD and PATTERSON) 97
—, — —, preparation (DU VIGNEAUD and PATTERSON) 97
Hydrogen ion concentration: Blood and blood serum, potential drift, quinhydrone method (HANKE and JOHNSON) xl

XUM

Hydrogen ion concentration—*continued:*
Blood serum, determination, colorimetric, protein effect (Robinson, Price, and Cullen) lxxiv
Hemoglobin solutions, determination errors (Dill, Forbes, and Henderson) xxvii
Saliva, determination (Soyenkoff and Hinck) 467
Sugar-beet, carbon dioxide effect (Fife and Frampton) 643
Hypersideremia: Iron administration effect (Bing, Hanzal, and Myers) viii
Hypophysectomy: -Pancreatectomy, effect (Long and Lukens) lvi

I

Imidazole: Derivatives, titration constants (Levy) 361
Indican: Urine, determination (Rose and Exton) lxxvi
Indigo sulfonates: Absorption spectra (Loeffel) lvi
Inorganic salts: Benzoic acid detoxication, effect (Griffith) xxxix
Insulin: Crystalline, chemistry (Jensen, Evans, Pennington, and Schock) xliv
-Like hormone (Laughton and Macallum) lii
Purine metabolism, Dalmatian coach-dog (Chaikoff and Larson) 85
Intestine: Lactase, characteristics (Cajori) 159
Intestine—*continued:*
Mineral partition, digestion (Schaible, Bandemer, and Moore) lxxix
Mucosa, lactase (Cajori) 159
Iodine: Balance studies (Cole and Curtis) xxii
Thyroglobulin (Cavett, Rice, and McClendon) xvii
Iron: Biological materials, determination (Farrar) xxxi
Hemoglobin (Morrison and Hisey) 233
Hypersideremia, administration effect (Bing, Hanzal, and Myers) viii

J

Jaundice: Blood serum bilirubin (Bodansky and Jaffe) x
— — cholesterol (Bodansky and Jaffe) x
— — phosphatase (Bodansky and Jaffe) x
Obstructive, prothrombin (Quick) lxxiii

K

Keratins: Human, isoelectric point (Wilkerson) xcix
Keto acids: Amino acid synthesis from, acetyl derivative, rôle (du Vigneaud and Irish) xciv
Ketosis: (Butts, Cutler, Hallman, and Deuel) 597
Kidney: Antiglyoxalase (Woodward, Munro, and Schroeder) 11
Function, nephrectomy effect (Chanutin and Ludewig) xviii

Kidney—*continued:*
Insufficiency, parathyroid hormone action, effect (TWEEDY, TEMPLETON, and MCJUNKIN) xcii
Kynurenic acid: Bile, administration effect (CORRELL, BERG, and COWAN) xxiv

L

Lactalbumin: Peptic hydrolysis (MILLER) lxvi
Lactase: Intestine, characteristics (CAJORI) 159
— mucosa (CAJORI) 159
Lactation: Blood, cod liver oil, shark liver oil, and salmon oil, effect (MCCAY and MAYNARD) 29
Fat metabolism (MAYNARD and MCCAY) lxi
Milk, cod liver oil, shark liver oil, and salmon oil, effect (MCCAY and MAYNARD) 29
Lactic acid: Blood (BOTT and WILSON) 463
Ionization (NIMS and SMITH) lxx
Liver (BOTT and WILSON) 463
—, formation (BOTT and WILSON) 455
Lactose: -Containing diet, cataract from, blood sugar, effect (DAY) xxvi
Leprosy: Malnutrition effect (LAMB) li
Lipids: Blood cell, red, and plasma, normal and anemic children, distribution (ERICKSON, COPE, STERNBERGER, LEE, COOLEY, and MACY) xxx
Lipids—*continued:*
Liver, cholesterol-fed rats, undernutrition and vitamin deficiency, effect (OKEY and GILLUM) lxxii
Liver: Creatine, thyroid and thyroxine effect (BODANSKY) 615
Flavin, preparation and properties (STARE) lxxxviii
Hematopoietic substance, chemistry (DAKIN and WEST) 489
Lactic acid (BOTT and WILSON) 463
— — formation (BOTT and WILSON) 455
Lipids, cholesterol-fed rats, undernutrition and vitamin deficiency, effect (OKEY and GILLUM) lxxii
Poisons, parathyroid extract, influence (GREENBERG) xxxviii
Lymph: Thoracic, galactose (FAY and WHARTON) 695
Lysylglutamic acid: Derivatives, synthesis (GREENSTEIN) 541

M

Magnesium: -Low diet, effect (GREENBERG and TUFTS) xxxviii
Maize: Pigments (SANDO, MILNER, and SHERMAN) 203
Purple-husked, chrysanthemin (SANDO, MILNER, and SHERMAN) 203
Malnutrition: Leprosy, effect (LAMB) li

XUM

Methionine: *dl-*, metabolism, dietary protein, effect (STEKOL) 147
l-, metabolism, dietary protein, effect (STEKOL) 147
Metabolism, cystinuria (BRAND, CAHILL, and HARRIS) 69
Naturally occurring, homocystine isomers, optically active, configurational relationship (DU VIGNEAUD and PATTERSON) 97
Methylglycosides: Hexuronic acids, naturally occurring (BAUR and LINK) 293
Polygalacturonic acid-, Ehrlich's *Pektolsäure* and *Pektolactonsäure* (BAUR and LINK) 293
Mice: Homozygous, test animals (MCCLENDON and STREET) lxi
Milk: Cod liver oil, shark liver oil, and salmon oil, effect (MCCAY and MAYNARD) 29
Mineral(s): Blood cell, red, and plasma, normal and anemic children, distribution (ERICKSON, COPE, STERNBERGER, LEE, COOLEY, and MACY) xxx
Metabolism, adolescent girls (WANG, KAUCHER, and WING) xcv
—, muscle dystrophy, pseudohypertrophic, boys (WANG, KAUCHER, and WING) xcv
—, nephrosis, children (WANG, KAUCHER, and WING) xcv
Partition, intestinal digestion (SCHAIBLE, BANDEMER, and MOORE) lxxix
Mucilage: Psyllium seed (ANDERSON and FIREMAN) 437
Mucoids: Sugar radicals (MEYER and PALMER) lxv
Mucoitinsulfuric acid: Gastric juice, isolation (KOMAROV) 177
Muscle: Blood and, salt and water exchange (HASTINGS and EICHELBERGER) xli
Cholesterol (BLOOR and SNIDER) ix
Creatine (CORLEY, KRAMER, and WOLF) xxiii
—, thyroid and thyroxine effect (BODANSKY) 615
Dystrophy, guanidine and derivatives, relation (SULLIVAN) lxxxix
—, pseudohypertrophic, mineral metabolism, boys (WANG, KAUCHER, and WING) xcv
Skeletal, anserine (WOLFF and WILSON) 565
—, carnosine (WOLFF and WILSON) 565

N

Nail: Finger, amino acids, normal and arthritic (HESS) xliii
Nephrectomy: Kidney function, effect (CHANUTIN and LUDEWIG) xviii
Nephritis: Ammonia secretion, urine acid-base balance, relation (BRIGGS) xii
Xylose tolerance, blood urea, comparison (LARSON) lii
Nephrosis: Mineral metabolism, children (WANG, KAUCHER, and WING) xcv

New-born: Weight, pituitary, anterior, extract, growth hormone, effect (WATTS) xcv
Nitrogen: Feces (SCHNEIDER) 249
Sugar-beet, carbon dioxide effect (FIFE and FRAMPTON) 643
Total, hemoglobin (MORRISON and HISEY) 233
Nitrogenous substances: Sugar determination, effect (SHEPPARD and EVERETT) lxxxii
Nucleotide: Adenine, hemoglobin, hematocrit, and red blood cell count, relation (BUELL) xii
Nutrition: *See also* Malnutrition

O

Oil: Cod liver. *See* Cod liver oil
Salmon. *See* Salmon
Shark. *See* Shark
Organic compounds: Salts, alkaline reserve, effect (CAPE) xvii
Organic constituents: Diet, fluorine toxicosis, effect (PHILLIPS and HART) 657
Ovary: Follicular hormone (MACCORQUODALE, THAYER, and DOISY) lviii
Oxidation: β (BUTTS, CUTLER, HALLMAN, and DEUEL) 597
Stimulants and depressants (CLOWES and KRAHL) xxi
Oxygen: Blood, determination, ether presence, Van Slyke-Neill modified method (SHAW and DOWNING) 405
Dissociation curves, blood, bird (CHRISTENSEN and DILL) 443

P

Papain: Test (SUMNER and HOWELL) 429
Parathyroid extract: Liver poisons, influence (GREENBERG) xxxviii
Parathyroids: Hormone, kidney insufficiency effect (TWEEDY, TEMPLETON, and McJUNKIN) xcii
Vitamin D, relation (JONES) xlvi
Pancreas: Antiglyoxalase (WOODWARD, MUNRO, and SCHROEDER) 11
Pancreatectomy: -Adrenalectomy, effect (LONG and LUKENS) lvi
-Hypophysectomy, effect (LONG and LUKENS) lvi
Pektolactonsäure: Ehrlich's, polygalacturonic acid-methylglycosides from (BAUR and LINK) 293
Pektolsäure: Ehrlich's, polygalacturonic acid-methylglycosides from (BAUR and LINK) 293
Pepper: Sweet, polyhydroxy acid (BAUMANN, SPRINSON, and METZGER) v
Pepsin: Albumin, egg, hydrolysis (CALVERY and SCHOCK) xvi
Crystalline, analysis (CALVERY, HERRIOTT, and NORTHROP) xvi
Lactalbumin hydrolysis (MILLER) lxvi
Peptidase: Di-, specificity (BERGMANN, ZERVAS, FRUTON, SCHNEIDER, and SCHLEICH) 325

Peptides: Multivalent (Greenstein) 529, 541
Salts, complex (Bergmann and Fox) 317
Solutions, neutral salts, action (Cohn, McMeekin, and Greenstein) xxi
Phenol: Determination (Edwards) xxviii
Phosphatase: Blood serum, jaundice (Bodansky and Jaffe) x
Phosphate: Blood calcium and, relation (McLean and Hinrichs) lxiii
Phospholipid(s): Blood plasma, oxalated and heparinized (Schmidt) 449
Fatty acids, tumor, unsaturation degree (Haven) xlii
Tissue, elaidic acid, relation (Sinclair) lxxxv
Phosphorus: Inorganic, blood serum, forms (Greenberg and Larson) 105
(Benjamin) 123
Organic acid-soluble, erythrocytes (Kerr and Daoud) 301
Phospho-18-tungstic acid: Thiol compounds, color reaction (Shinohara) 665
Pigment: Maize (Sando, Milner, and Sherman) 203
Pine: Slash. *See* Slash-pine
Pinus caribæa: *See* Slash-pine
Pituitary: Thyrotropic hormone, determination, chemical (McCullagh and Stimmel) lxii
Pituitary extract: Anterior, growth hormone, gestation and weight of new-born, effect (Watts) xcv
Placenta: Globulins, immune (Green and McKhann) xxxvii
Plant: Growth hormone production, *Rhizopus suinus* (Thimann) 279
Plantago psyllium: *See* Psyllium
Pneumococcus: Type II, specific precipitate (Calvery, Heidelberger, and Kendall) xv
Poison: Liver, parathyroid extract, influence (Greenberg) xxxviii
Toad, chemistry (Jensen) xliv
Polygalacturonic acid: -Methylglycosides, Ehrlich's *Pektolsäure* and *Pektolactonsäure* (Baur and Link) 293
Precipitin: Biological fluids, albumin and globulin determination (Goettsch and Kendall) 221
Pregnancy: Estrin excretion (Marrian, Cohen, and Watson) lix
Urea clearance (Nice) lxix
Water, blood, distribution (Oberst and Plass) lxxi
Protein(s): Bence-Jones (Calvery and Freyberg) 739, xv
Blood plasma, precipitation, factors affecting (Butler, Blatt, and Southgate) 755
— —, solubility, factors affecting (Butler, Blatt, and Southgate) 755
— serum, carbamate-carbon dioxide equilibrium, blood carbon dioxide transport,

Protein(s)—*continued:*
relation (STADIE and O'BRIEN) lxxxvii
Blood serum hydrogen ion concentration determination, colorimetric, effect (ROBINSON, PRICE, and CULLEN) lxxiv
Capillary permeability (KEYS and TAYLOR) 55
Dietary, (edestin), salt-poor diet, effect (SWANSON, TIMSON, and FRAZIER) 729
— essential in, isolation (ROSE, MCCOY, MEYER, CARTER, WOMACK, and MERTZ) lxxvii
—, *l*- and *dl*-methionine metabolism (STEKOL) 147
Hydrolyzed histamine-like substance, separation (MCMEEKIN) lxiv
Physical chemistry (GREEN, COHN, and BLANCHARD) 631
Saccharomyces cerevisiæ (CSONKA) 703
Silk, chemical and immunological properties (FELL) xxxi
Yeast (CSONKA) 703
Proteolysis: Enzymes (BERGMANN, ZERVAS, FRUTON, SCHNEIDER, and SCHLEICH) 325
Prothrombin: Hemophilia (QUICK) lxxiii
Jaundice, obstructive (QUICK) lxxiii
Psyllium: Seed, mucilage (ANDERSON and FIREMAN) 437
Purine: Metabolism, epinephrine influence (CHAIKOFF, LARSON, and READ) 395
Purine—*continued:*
Metabolism, insulin effect, Dalmatian coach-dog (CHAIKOFF and LARSON) 85

R

Ration: Wool, lamb, effect (SULLIVAN, HESS, HARDY, and HOWE) xc
See also Diet
Refection: Fat rôle (WHIPPLE and CHURCH) xcviii
Reproductive system: Embryo, sex hormones, effect (WILLIER, GALLAGHER, and KOCH) xcix
Respiration: Depressants, oxidative, action (CLOWES and KRAHL) xxi
Stimulants, oxidative, action (CLOWES and KRAHL) xxi
Respiratory exchange: Carbohydrate ingestion, high (TALBOTT) xci
Rhizopus suinus: Plant growth hormone produced by (THIMANN) 279
Rickets: Calcium-low diet, production (SHOHL) lxxxv
Ring structure: Thymidine (LEVENE and TIPSON) 623

S

Saccharomyces cerevisiæ: Proteins (CSONKA) 703
Saliva: Acid-neutralizing power (SOYENKOFF and HINCK) 467
Hydrogen ion concentration determination (SOYENKOFF and HINCK) 467

XUM

Salmon: Oil, blood, lactation, effect (McCay and Maynard) 29
—, milk, effect (McCay and Maynard) 29
Salt(s): Diet poor in, edestin as sole protein, effect (Swanson, Timson, and Frazier) 729
Water and, exchange, blood and muscle (Hastings and Eichelberger) xli
Sapogenin: Sarsa- (Simpson and Jacobs) 573
Sarsasapogenin: (Simpson and Jacobs) 573
Serine: Metabolism, cystinuria (Brand and Cahill) 545
Sex: Hormones, reproductive system, embryo, effect (Willier, Gallagher, and Koch) xcix
—, urine, female, properties (Bowman, Visscher, and Mull) xi
Shark: Liver oil, blood, lactation, effect (McCay and Maynard) 29
— —, milk, effect (McCay and Maynard) 29
Silk: Proteins, chemical and immunological properties (Fell) xxxi
Skin: *See also* Epidermis
Slash-pine: Phloem, fatty constituents (Hall and Gisvold) 585
Starch: Substrates, amylase determination, preparation (Thompson) 201
Sterol(s): Absorption, specificity (Schoenheimer, Sperry, and Dam) lxxix
Sterol(s)—*continued:*
Liebermann-Burchard reaction, spectrophotometric studies (Morgareidge) lxvii
Vitamin D-containing materials, separation (Natelson and Sobel) 687
Streptococcus: Hemolytic, fibrinolytic enzyme (Garner) xxxvi
Sugar(s): Acetoacetic acid, reaction (Friedemann and Klaas) xxxiv
Amino, determination (Palmer and Meyer) lxxiii
Determination, nitrogenous substances, effect (Sheppard and Everett) lxxxii
—, precipitating agents (West, Lane, and Curtis) xcvii
Fermentation, colon and aerogenes bacteria (Poe and Klemme) 43
Radicals, mucoids (Meyer and Palmer) lxv
Sugar-beet: Hydrogen ion concentration, carbon dioxide effect (Fife and Frampton) 643
Nitrogen fractions, carbon dioxide effect (Fife and Frampton) 643
Sulfate: Inorganic, blood serum, determination (Hoffman and Cardon) 717
—, — —, dextrose ingestion, effect (Mattice, Bruger, and Deren) lx

T

Testes: Creatine, thyroid and thyroxine effect (Bodansky) 615

Tetany: Calcium-low diet, production (SHOHL) lxxxv
Theelin: Determination, colorimetric (CARTLAND, MEYER, MILLER, and RUTZ) 213
Prepared from urines and theelol, comparison (CARTLAND, MEYER, MILLER, and RUTZ) 213
Theelol: Determination, colorimetric (CARTLAND, MEYER, MILLER, and RUTZ) 213
Theelin from urines and, comparison (CARTLAND, MEYER, MILLER, and RUTZ) 213
Thiol compounds: Determination (SHINOHARA) 665
Phospho-18-tungstic acid, color reaction (SHINOHARA) 665
Thymidine: Ring structure (LEVENE and TIPSON) 623
Thyroglobulin: Iodine (CAVETT, RICE, and MCCLENDON) xvii
Thyroxine (CAVETT, RICE, and MCCLENDON) xvii
Thyroid: Heart creatine, effect (BODANSKY) 615
Liver creatine, effect (BODANSKY) 615
Muscle creatine, effect (BODANSKY) 615
Testes, creatine, effect (BODANSKY) 615
Thyrotropic hormone: Pituitary gland, determination, chemical (MCCULLAGH and STIMMEL) lxii
Thyroxine: Heart creatine, effect (BODANSKY) 615
Liver creatine, effect (BODANSKY) 615
Muscle creatine, effect (BODANSKY) 615
Thyroxine—*continued:*
Testes, creatine, effect (BODANSKY) 615
Thyroglobulin (CAVETT, RICE, and MCCLENDON) xvii
Tissue(s): Dehydration, effect (HAMILTON and SCHWARTZ) 745
Nutrients, alcohol extraction and heating, effect (SEEGERS) lxxx
Toad: Poison, chemistry (JENSEN) xliv
Tooth: Composition (ARMSTRONG) iv
Trypsin: Digestion, determination (JUKES) xlvii
Test (SUMNER and HOWELL) 429
Tryptophane: *dl-*, bile, administration effect (CORRELL, BERG, and COWAN) xxiv
l-, bile, administration effect (CORRELL, BERG, and COWAN) xxiv
Metabolism, diphtheria bacillus (BAUGUESS) v
Tumor: Mouse, titration (SHEAR) lxxxi
Phospholipid fatty acids, unsaturation degree (HAVEN) xlii

U

Undernutrition: Liver lipids, cholesterol-fed rats (OKEY and GILLUM) lxxii
Urea: Blood, xylose tolerance, nephritis, comparison (LARSON) lii
Clearance, pregnancy (NICE) lxix
Solutions, hemoglobin molecular weight and volume (HAND) xl

XUM

Urine: Acid-base balance, ammonia secretion, nephritis, relation (BRIGGS) xii
Depressor colloid, purification (BISCHOFF and ELLIOT) 419
Gonadotropic substance, castrates, female (LEVIN and TYNDALE) liv
Hormones, female, properties (BOWMAN, VISSCHER, and MULL) xi
Urochrome: (FLEMING and MACALLUM) xxxiii

V

Vapor pressure: Blood, determination (CULBERT) 547
Vitamin(s): A, fishes (BILLS, MCDONALD, MASSENGALE, IMBODEN, HALL, HERGERT, and WALLENMEYER) vii
—, storage (CLAUSEN and MCCOORD) xx
B complex, anemia, nutritional, relation (KYER and BETHELL) p. 1
B_1, animal tissue (ELVEHJEM, SHERMAN, and ARNOLD) xxix
—, fat metabolism, relation (WHIPPLE and CHURCH) xcviii
C, determination, chemical (GLICK) 433
D-containing materials, sterols, separation (NATELSON and SOBEL) 687
D, fishes (BILLS, MCDONALD, MASSENGALE, IMBODEN, HALL, HERGERT, and WALLENMEYER) vii
—, parathyroid action, relation (JONES) xlvi
Vitamin(s)—*continued:*
Deficiency, liver lipids, cholesterol-fed rats (OKEY and GILLUM) lxxii
E, properties (OLCOTT) lxxii
G, crystalline, preparation (LEPKOVSKY, POPPER, and EVANS) liv
G-deficient diet, cataract from, blood sugar, relation (DAY) xxvi
G. *See also* Antidermatitis

W

Water: Blood, distribution, pregnancy (OBERST and PLASS) lxxi
Salt and, exchange, blood and muscle (HASTINGS and EICHELBERGER) xli
Wool: Lamb, ration effect (SULLIVAN, HESS, HARDY, and HOWE) xc
Work: Blood plasma colloids, effect (KEYS and TAYLOR) 55

X

Xenopus lævis: *See* Toad
Xylose: Tolerance, blood urea, nephritis, comparison (LARSON) lii

Y

Yeast: Cytochrome, spectrograph, temperature effect (URBAN) xciii
Proteins (CSONKA) 703

Z

Zinc: Nutrition (STIRN, ELVEHJEM, and HART) 347